

BRK - Weights Measures

Part No.	Description	UPC	12 of 5	Case Pack	Individual Unit				
					L	W	H	Cube	Weight
100S	BRK,120V,AC,Wire,Ion,177 Strobe	0 29054 50100 4	100 29054 50100 1	3	5.813 in	3.750 in	6.250 in	0.079 ft ³	1.247 lb
2002	BRK,9V,DC,Batt,Ion	0 29054 50700 6	100 29054 50700 3	12	5.563 in	2.688 in	5.625 in	0.049 ft ³	0.736 lb
2002RAC	BRK,120V,AC/DC,Wire,Phot	0 29054 19951 5	100 29054 19951 2	12	5.562 in	2.813 in	5.625 in	0.051 ft ³	0.795 lb
3001	BRK,9V,DC,Batt,Dual	0 29054 50800 3	100 29054 50800 0	12	5.563 in	2.688 in	5.625 in	0.049 ft ³	0.736 lb
3002	BRK,9V,DC,Batt,Dual w IR	0 29054 14202 3	100 29054 14202 0	12	5.786 in	5.786 in	9.295 in	0.180 ft ³	0.660 lb
4000LB	BRK,9V,DC,Batt,Ion,Lithium	0 29054 50600 9	100 29054 50600 6	12	5.688 in	1.938 in	5.688 in	0.036 ft ³	0.535 lb
4010YR	BRK,9V,DC,Ion,Lithium Power Cell	0 29054 13107 2	100 29054 13107 9	6	5.661 in	2.161 in	5.715 in	0.040 ft ³	0.625 lb
4120	BRK,120V,AC,Wire,Ion	0 29054 51206 2	100 29054 51206 9	12	5.536 in	2.096 in	5.715 in	0.038 ft ³	0.490 lb
4120AB	BRK,120V,AC/DC,Wire,Ion-Alkaline	0 29054 51204 8	100 29054 51204 5	12	5.536 in	2.096 in	5.715 in	0.038 ft ³	0.550 lb
4120B	BRK,120V,AC/DC,Wire,Ion	0 29054 51202 4	100 29054 51202 1	12	5.536 in	2.096 in	5.715 in	0.038 ft ³	0.550 lb
4120B-48B	BRK,120V,AC/DC,Wire,Ion,48-Bulk	0 29054 51202 4	300 29054 51202 5	48	N/A	N/A	N/A	N/A	N/A
4120B-48P	BRK,120V,AC/DC,Wire,Ion,48-Pack	0 29054 51202 4	200 29054 51202 8	48	5.536 in	2.096 in	5.715 in	0.038 ft ³	0.550 lb
4120B-GFD	BRK,120V,AC/DC,Wire,Ion Gravity Feed Display	0 29054 51202 4	100 29054 51202 1	18	5.536 in	2.096 in	5.715 in	0.038 ft ³	0.550 lb
4120LB	BRK,120V,AC/DC,Wire,Ion-Lithium	0 29054 51209 3	100 29054 51209 0	12	5.536 in	2.096 in	5.715 in	0.038 ft ³	0.550 lb
4120SAB	BRK,120V,AC/DC,Ion,Silence-Alkaline	0 29054 51205 5	100 29054 51205 2	12	5.536 in	2.096 in	5.715 in	0.038 ft ³	0.550 lb
4120SB	BRK,120V,AC/DC,Wire,Ion,Silence	0 29054 51201 7	100 29054 51201 4	12	5.536 in	2.096 in	5.715 in	0.038 ft ³	0.550 lb
4120SB-48B	BRK,120V,AC/DC,Wire,Ion,48-Bulk	0 29054 51201 7	300 29054 51201 8	48	N/A	N/A	N/A	N/A	N/A
4919	BRK,120V,AC,Wire,Ion	0 29054 50940 6	100 29054 50940 3	12	5.375 in	2.042 in	5.250 in	0.033 ft ³	0.500 lb
5919	BRK,120V,AC,Wire,Phot	0 29054 50930 7	100 29054 50930 4	12	5.562 in	2.813 in	5.625 in	0.051 ft ³	0.795 lb
5919TH	BRK,120V,AC,Wire,Photo/Heat	0 29054 50931 4	100 29054 50931 1	12	5.452 in	3.390 in	5.530 in	0.059 ft ³	0.939 lb
7010	BRK,120V,AC,Wire,Phot	0 29054 11200 2	100 29054 11200 9	12	5.130 in	2.380 in	5.130 in	0.036 ft ³	0.450 lb
7010B	BRK,120V,AC/DC,Wire,Phot	0 29054 11201 9	100 29054 11201 6	12	5.130 in	2.380 in	5.130 in	0.036 ft ³	0.550 lb
7010BSL	BRK,120V,AC/DC,Wire,Photo w 177 Strobe	0 29054 12104 2	300 29054 12104 3	3	5.250 in	4.125 in	5.438 in	0.068 ft ³	0.875 lb
7020B	BRK,120V,AC/DC,Wire,Phot w Escape Light	0 29054 00198 6	100 29054 00198 3	12	5.130 in	2.380 in	5.130 in	0.036 ft ³	0.550 lb
83RN	BRK,9V,DC,Batt,Ion	0 29054 50400 5	200 29054 50400 9	12	5.688 in	1.688 in	5.688 in	0.032 ft ³	0.406 lb
9120	BRK,120V,AC,Wire,Ion,Silence,Latch	0 29054 51300 7	100 29054 51300 4	12	5.690 in	2.250 in	5.590 in	0.041 ft ³	0.530 lb
91206CP	BRK,120V,AC,Wire,Ion, Bulk Contractor Pack	0 29054 12120 2	100 29054 12120 9	6	5.500 in	2.000 in	5.500 in	0.035 ft ³	0.368 lb
9120AB	BRK,120V,AC/DC,Wire,Ion-Alkaline,Silence,Latch	0 29054 51302 1	100 29054 51302 8	12	5.690 in	2.250 in	5.590 in	0.041 ft ³	0.606 lb
9120B	BRK,120V,AC/DC,Wire,Ion,Silence,Latch	0 29054 51301 4	100 29054 51301 1	12	5.690 in	2.250 in	5.590 in	0.041 ft ³	0.606 lb
9120B-48B	BRK,120V,AC/DC,Wire,Ion,Silence,Latch-48 Bulk	0 29054 51301 4	300 29054 51301 5	48	5.690 in	2.250 in	5.590 in	0.041 ft ³	0.606 lb
9120B-48P	BRK,120V,AC/DC,Wire,Ion,Silence,Latch-48 Pack	0 29054 51301 4	200 29054 51301 8	48	5.690 in	2.250 in	5.590 in	0.041 ft ³	0.606 lb
9120B6CP	BRK,120V,AC/DC,Wire,Ion, Bulk Contractor Pack	0 29054 12113 4	100 29054 12113 1	6	5.500 in	2.000 in	5.500 in	0.035 ft ³	0.456 lb
9120B-GFD	BRK,120V,AC/DC,Wire,Ion Gravity Feed Display	0 29054 51301 4	400 29054 51301 2	18	5.690 in	2.250 in	5.590 in	0.041 ft ³	0.606 lb
9120LB	BRK,120V,AC/DC,Wire,Ion-Lithium,Silence,Latch	0 29054 51303 8	100 29054 51303 5	12	5.690 in	2.250 in	5.590 in	0.041 ft ³	0.606 lb
ADF-12	Adapter Plug - Firex	0 29054 00004 0	600 29054 00004 2	72	N/A	N/A	N/A	N/A	N/A
ADK-12	Adapter Plug - Kidde	0 29054 00005 7	600 29054 00005 9	72	N/A	N/A	N/A	N/A	N/A
AF400	Tundra Fire Extinguishing Spray Can	0 29054 00221 1	400 29054 00221 9	4	9.650 in	2.600 in	2.600 in	0.038 ft ³	1.375 lb
AF400-12SD	Tundra Fire Extinguishing Spray Shelf Display	0 29054 00221 1	400 29054 00221 9	12	9.650 in	2.600 in	2.600 in	0.038 ft ³	1.375 lb
AF400-18WP	Tundra Fire Extinguishing Spray Gravity Feed Display	0 29054 00221 1	100 29054 00221 8	18	9.650 in	2.600 in	2.600 in	0.038 ft ³	1.375 lb
AF400-18FD	Tundra Fire Extinguishing Spray Floor Display	0 29054 00221 1	200 29054 00221 5	18	9.650 in	2.600 in	2.600 in	0.038 ft ³	1.375 lb
BF5-B	BRK,Fire Ext,5BC,Genrl,Bulk,Brkt	0 29054 75480 6	100 29054 75480 3	6	3.875 in	3.125 in	13.250 in	0.093 ft ³	3.140 lb
BF5-M	BRK,Fire Ext,5BC,Genrl,Bulk	0 29054 75410 3	100 29054 75410 0	6	N/A	N/A	N/A	N/A	N/A
CO1000R	BRK, CO SensorPack Module	0 29054 85371 4	100 29054 85371 1	6	4.063 in	5.625 in	1.000 in	0.013 ft ³	0.212 lb
CO2120PDN	BRK,120V,AC,Plug,CO,Digital Disp	0 29054 85623 4	100 29054 85623 1	6	8.625 in	2.438 in	5.625 in	0.068 ft ³	0.569 lb
CO2120PN	BRK,120V,AC,Plug,CO,Silence	0 29054 85621 0	100 29054 85621 7	6	8.625 in	2.438 in	5.625 in	0.068 ft ³	0.569 lb
CO250B	BRK, DC CO Alarm, Silence	0 29054 00392 8	600 29054 00392 0	6	4.380 in	4.380 in	1.750 in	0.019 ft ³	0.320 lb
CO3000BN	BRK,120V,DC,Batt,CO, Silence	0 29054 85613 5	100 29054 85613 2	6	8.661 in	2.161 in	5.661 in	0.061 ft ³	1.000 lb
CO400B	FA, 2AA Battery CO Alarm	0 29054 00074 3	600 29054 00074 5	6	5.400 in	1.600 in	3.400 in	0.017 ft ³	0.430 lb

BRK - Weights Measures

Part No.	Description	UPC	12 of 5	Case Pack	Individual Unit				
					L	W	H	Cube	Weight
CO410B	FA, 2AA Battery CO Alarm with Digital Display	0 29054 00097 2	600 29054 00097 4	6	5.400 in	1.600 in	3.400 in	0.017 ft ³	0.480 lb
CO500B	OneLink DC CO Alarm	0 29054 00084 2	100 29054 00084 9	12	5.130 in	2.380 in	5.130 in	0.036 ft ³	0.660 lb
CO511B	OneLink DC CO Alarm w Voice	0 29054 00291 4	100 29054 00291 1	12	5.130 in	2.380 in	5.130 in	0.036 ft ³	0.660 lb
CO5120BN	BRK,120V,AC/DC,Wire,CO,Silence	0 29054 85617 3	300 29054 85617 4	12	5.536 in	2.096 in	5.715 in	0.038 ft ³	0.550 lb
CO5120PDBN	BRK, 120V,AC/DC CO,Digital Display	0 29054 85619 7	400 29054 85619 5	12	5.536 in	2.096 in	5.715 in	0.038 ft ³	0.550 lb
CO600B	FA, AC Plugin CO	0 29054 00073 6	600 29054 00073 8	6	5.438 in	2.375 in	3.438 in	0.026 ft ³	0.340 lb
CO604B	BRK, AC/DC Plugin CO	0 29054 00263 1	100 29054 00263 8	6	6.813 in	3.988 in	2.375 in	0.037 ft ³	0.570 lb
CO605B	FA, AC/DC Plugin CO	0 29054 00072 9	600 29054 00072 1	6	5.750 in	3.000 in	2.938 in	0.029 ft ³	0.620 lb
CO6120PBD	BRK,120V,AC,Plug,CO,Digital, IR	0 29054 85620 3	100 29054 85620 0	6	8.625 in	2.438 in	5.625 in	0.068 ft ³	0.569 lb
CO614B	BRK,120V,AC/DC,Plugin,CO,Digital	0 29054 00382 9	600 29054 00382 1	6	6.813 in	3.988 in	2.375 in	0.037 ft ³	0.606 lb
CO615B	FA, AC/DC Plugin CO with Digital Display	0 29054 00192 4	600 29054 00192 6	6	5.750 in	3.000 in	2.938 in	0.029 ft ³	0.630 lb
EL52-2	Escape Ladder-2 Story	0 29054 00012 5	200 29054 00012 9	2	12.500 in	13.250 in	4.500 in	0.431 ft ³	12.800 lb
EL53W-2	Escape Ladder-3 Story, wide sill hooks	0 29054 00013 2	200 29054 00013 6	2	12.500 in	13.250 in	8.500 in	0.815 ft ³	21.450 lb
FCD2BN	FA,120V,AC,Plug,CO,Silence	0 29054 15001 1	100 29054 15001 8	6	8.625 in	2.438 in	5.625 in	0.068 ft ³	0.569 lb
FCD2BTBN	FA,120V,AC,Plug,CO,Silence, Battery	0 29054 00003 3	600 29054 00003 5	6	8.625 in	2.438 in	5.625 in	0.068 ft ³	0.650 lb
FCD2DDBN	FA,120V,AC,Plug,CO,Digital Disp	0 29054 85633 3	100 29054 85633 0	6	8.625 in	2.438 in	5.625 in	0.068 ft ³	0.569 lb
FCD3BN	FA,120V,DC,Batt,CO, Silence	0 29054 15000 4	100 29054 15000 1	6	8.661 in	2.161 in	5.661 in	0.061 ft ³	1.000 lb
FCD4CN-3	FA,120V,AC,Plug,CO,Digital, IR	0 29054 85618 0	800 29054 85618 6	3	9.750 in	2.400 in	6.630 in	0.090 ft ³	0.740 lb
FE10GO	FA,Fire Ext,10BC,Garge,Brckt	0 29054 00030 9	600 29054 00030 1	6	3.810 in	4.060 in	14.310 in	0.128 ft ³	5.400 lb
GARAGE 10	FA,Fire Ext,10BC,Garge,Brckt	0 29054 00030 9	500 29054 00030 4	4	4.250 in	4.063 in	14.875 in	0.149 ft ³	5.000 lb
FE10GO-MN	FA,Fire Ext,10BC,Marin,Brckt,White	0 29054 00040 8	600 29054 00040 0	6	3.810 in	4.060 in	14.310 in	0.128 ft ³	5.400 lb
AUTOMAR10	FA,Fire Ext,10BC,Marin,Brckt,White	0 29054 00040 8	200 29054 40004 2	4	4.250 in	4.063 in	14.875 in	0.149 ft ³	5.000 lb
FE10GOT	FA,Fire Ext,10BC,Truck,Brckt	0 29054 00052 1	600 29054 00052 3	6	3.810 in	4.060 in	14.310 in	0.128 ft ³	5.400 lb
FE1A10G	FA,Fire Ext,1A10BC,Multi,Gge,Bkt-non rechargeable	0 29054 72212 6	100 29054 72212 3	6	3.625 in	3.313 in	15.750 in	0.109 ft ³	4.500 lb
PRO2-5NR (Ansul)	FA,Fire Ext,1A10BC,Multi,Gge,Bkt-non rechargeable	0 29054 00091 0	200 29054 00091 4	6	4.250 in	4.063 in	14.875 in	0.149 ft ³	5.325 lb
PRO2-5NR (WY)	FA,Fire Ext,1A10BC,Multi,Gge,Bkt-non rechargeable	0 29054 00091 0	200 29054 00091 4	6	4.250 in	4.063 in	14.875 in	0.149 ft ³	5.490 lb
FE1A10GO	FA,Fire Ext,1A10BC,Multi,Gge,Bkt	0 29054 00039 2	600 29054 00039 4	6	3.810 in	4.060 in	14.310 in	0.128 ft ³	5.300 lb
PRO2-5 (ansul)	FA,Fire Ext,1A10BC,Multi,Gge,Bkt	0 29054 00090 3	200 29054 00090 7	6	4.250 in	4.063 in	14.875 in	0.149 ft ³	5.325 lb
PRO2-5 (WY)	FA,Fire Ext,1A10BC,Multi,Gge,Bkt	0 29054 00090 3	200 29054 00090 7	6	4.250 in	4.063 in	14.875 in	0.149 ft ³	5.490 lb
HOME1 (Ansul)	FA,Fire Ext,1A10BC,Gge,Bkt,White	0 29054 00039 2	600 29054 00357 9	4	4.250 in	4.063 in	14.875 in	0.149 ft ³	5.325 lb
HOME1 (WY)	FA,Fire Ext,1A10BC,Gge,Bkt,White	0 29054 00039 2	600 29054 00357 9	4	4.250 in	4.063 in	14.875 in	0.149 ft ³	5.490 lb
FE1A10GOW	FA,Fire Ext,1A10BC,Gge,Bkt,White	0 29054 00032 3	600 29054 00032 5	6	3.810 in	4.060 in	14.310 in	0.128 ft ³	5.300 lb
MARINE1 (Ansul)	FA,Fire Ext,1A10BC,Gge,Bkt,White	0 29054 00032 3	200 29054 47300 8	4	4.250 in	4.063 in	14.875 in	0.149 ft ³	5.325 lb
MARINE1 (WY)	FA,Fire Ext,1A10BC,Gge,Bkt,White	0 29054 00032 3	200 29054 47300 8	4	4.250 in	4.063 in	14.875 in	0.149 ft ³	5.490 lb
FE2A10GR	FA,Fire Ext,2A10BC,HD,Rechrg	0 29054 00261 7	200 29054 00261 1	2	6.000 in	5.880 in	17.000 in	0.347 ft ³	9.800 lb
HOME2	FA,Fire Ext,2A10BC,HD,Rechrg	0 29054 00261 7	600 29054 00358 6	2	6.000 in	5.875 in	17.000 in	0.347 ft ³	9.800 lb
PRO52A10	FA,Fire Ext,2A10BC,HD,Rechrg-Pro Graphics	0 29054 00062 0	200 29054 00062 4	2	6.000 in	5.875 in	17.000 in	0.347 ft ³	9.800 lb
FE3A10GR-2	FA,Fire Ext,3A10BC,HD,Rechrg	0 29054 00061 3	600 29054 00061 5	2	5.930 in	5.930 in	17.000 in	0.346 ft ³	10.200 lb
PRO5	FA,Fire Ext,3A10BC,HD,Rechrg	0 29054 00060 6	600 29054 00359 3	2	6.000 in	5.875 in	17.000 in	0.347 ft ³	10.200 lb
FE3A40GR-6	FA,Fire Ext,3A40BC,HD,Rechrg	0 29054 00060 6	600 29054 00060 8	6	5.930 in	5.930 in	17.000 in	0.346 ft ³	10.200 lb
FE4A60B	FA,Fire Ext,4A60BC,HD,Rechrg	0 29054 00279 2	200 29054 00279 6	2	6.875 in	6.625 in	18.375 in	0.484 ft ³	17.900 lb
FE20A120B	FA,Fire Ext,20A120BC,HD,Rechrg	0 29054 00277 8	100 29054 00277 5	1	N/A	N/A	N/A	N/A	N/A
PRO10	FA,Fire Ext,4A60BC,HD,Rechrg	0 29054 00279 2	300 29054 00279 3	2	6.875 in	6.625 in	17.750 in	0.468 ft ³	17.900 lb
FE5GO	FA,Fire Ext,5BC,Recr,Gauge,Brckt	0 29054 00067 5	600 29054 00067 7	6	3.810 in	4.060 in	12.250 in	0.110 ft ³	4.400 lb
REC5	FA,Fire Ext,5BC,Recr,Gauge,Brckt	0 29054 00067 5	200 29054 00067 9	4	4.313 in	4.063 in	12.688 in	0.129 ft ³	4.400 lb
FE5GO-MN	FA,Fire Ext,5BC,Marin,Gauge,Brkt	0 29054 00043 9	600 29054 00043 1	6	3.810 in	4.060 in	12.250 in	0.110 ft ³	4.400 lb
FE5R-PWC	FA,Fire Ext,5BC,Marin,PWC,Brkt	0 29054 74101 1	100 29054 74101 8	6	4.000 in	12.625 in	3.125 in	0.091 ft ³	2.667 lb
FEBRA2-6	FA,Fire Ext,HD Bracket for 2.5 lb Extinguishers	0 29054 00100 9	600 29054 00100 1	6	11.750 in	3.500 in	2.190 in	0.052 ft ³	0.600 lb

BRK - Weights Measures

Part No.	Description	UPC	I2 of 5	Case Pack	Individual Unit				
					L	W	H	Cube	Weight
BRACKET2	FA,Fire Ext,HD Bracket for 2.5 lb Extinguishers	0 29054 00100 9	600 29054 00100 1	6	11.750 in	3.500 in	2.190 in	0.052 ft³	0.600 lb
FEBRA5-6	FA,Fire Ext,HD Bracket for 5 lb Extinguishers	0 29054 00101 6	600 29054 00101 8	6	14.250 in	3.500 in	2.680 in	0.077 ft³	1.300 lb
BRACKET5	FA,Fire Ext,HD Bracket for 5 lb Extinguishers	0 29054 00101 6	600 29054 00101 8	6	14.250 in	3.500 in	2.680 in	0.077 ft³	1.300 lb
FESA5	FA,Fire Ext,5BC,Auto,Brckt	0 29054 74102 8	100 29054 74102 5	6	3.060 in	4.000 in	10.130 in	0.072 ft³	2.800 lb
AUTO5	FA,Fire Ext,5BC,Auto,Brckt	0 29054 74102 8	700 29054 74102 7	4	4.000 in	3.188 in	10.625 in	0.078 ft³	2.800 lb
FG888D	BRK, DC Smoke Alarm-Basic	0 29054 21200 9	100 29054 21200 6	6	5.720 in	5.720 in	1.720 in	0.033 ft³	0.500 lb
FG225B	BRK, DC Smoke Alarm	0 29054 00303 4	600 29054 00303 6	6	4.380 in	4.380 in	1.750 in	0.019 ft³	0.390 lb
FG250B	BRK, DC Smoke Alarm-Silence	0 29054 00300 3	600 29054 00300 5	6	4.380 in	4.380 in	1.750 in	0.019 ft³	0.390 lb
FG250AB	BRK, DC Smoke Alarm-Silence,Alkaline	0 29054 00311 9	600 29054 00311 1	6	4.380 in	4.380 in	1.750 in	0.019 ft³	0.390 lb
FG250LB	Family Gard, DC Smoke Alarm-Silence,Lithium	0 29054 00310 2	600 29054 00310 4	6	4.380 in	4.380 in	1.750 in	0.019 ft³	0.390 lb
GCO1B-smaller carton	FA, Plug-in Gas/CO Alarm	0 29054 00045 3	600 29054 00045 5	6	5.750 in	3.000 in	2.938 in	0.034 ft³	0.690 lb
HD6135F	BRK,120V,AC,Wire, Heat,135°Fixed	0 29054 50932 1	100 29054 50932 8	12	6.000 in	3.625 in	5.688 in	0.072 ft³	0.930 lb
HD6135FB	BRK,120V,AC/DC Heat,135°Fixed	0 29054 50810 2	100 29054 50810 9	12	5.500 in	2.250 in	5.625 in	0.040 ft³	0.530 lb
KFE2S5	FA,Fire Ext,5BC,Kitch,Brckt	0 29054 73000 8	100 29054 73000 5	6	3.063 in	3.063 in	10.156 in	0.055 ft³	2.358 lb
KITCHEN5		0 29054 73000 8	800 29054 73000 4	4	3.125 in	3.063 in	10.375 in	0.057 ft³	2.820 lb
MPG120	BRK,120V,AC,Wire,Gas Alarm	0 29054 85359 2	100 29054 85359 9	3	4.250 in	1.688 in	5.000 in	0.021 ft³	0.500 lb
PIR720R	FA, Motion Sensing Socket	0 29054 16200 7	100 29054 16200 4	3	4.813 in	3.000 in	7.875 in	0.066 ft³	0.583 lb
RD1	FA, Radon Kit	0 29054 85000 3	100 29054 85000 0	6	7.200 in	1.730 in	10.200 in	0.074 ft³	0.390 lb
MT1	FA, Mold Kit	0 29054 00017 0	600 29054 00017 2	6	6.630 in	0.300 in	9.880 in	0.011 ft³	0.180 lb
WT1	FA, Water Test Kit	0 29054 00016 3	600 29054 00016 5	6	5.900 in	1.530 in	9.200 in	0.048 ft³	0.210 lb
LT1	FA, Lead Test Kit	0 29054 00015 6	600 29054 00015 8	6	5.200 in	0.680 in	8.700 in	0.018 ft³	0.130 lb
RM3	BRK,120V,AC,Wire,Relay	0 29054 17500 7	100 29054 17500 4	12	7.000 in	5.000 in	1.750 in	0.035 ft³	0.206 lb
RM4	BRK,120V,AC,Wire,Smart Relay	0 29054 00057 6	100 29054 00057 3	12	7.000 in	5.000 in	1.750 in	0.035 ft³	0.206 lb
SA150B	FA,9V,DC,Batt,Ion,Escape,Flshlgt	0 29054 13010 5	100 29054 13010 2	6	5.688 in	1.938 in	5.688 in	0.036 ft³	0.545 lb
SA302B	FA,9V DC, Photo & Ion Smoke Alarm	0 29054 14200 9	100 29054 14200 6	6	5.750 in	2.875 in	5.830 in	0.056 ft³	0.720 lb
SA302CN		0 29054 14201 6	500 29054 14201 1	3	8.560 in	7.130 in	3.170 in	0.110 ft³	0.930 lb
SA302LCN		0 29054 00008 8	300 29054 00008 9	3	8.560 in	7.000 in	3.170 in	0.110 ft³	0.930 lb
SA303B	FA,9V,DC,Carbon Zinc Batt,Ion	0 29054 00095 8	100 29054 00095 5	12	5.625 in	2.030 in	5.460 in	0.036 ft³	0.537 lb
SA305B	FA,9V,DC,Lithium Batt,Ion	0 29054 12310 7	100 29054 12310 4	12	5.625 in	2.030 in	5.460 in	0.036 ft³	0.537 lb
SA340B	FA, 10-Year Lithium Power Cell Smoke Alarm	0 29054 00066 8	100 29054 00066 5	6	5.750 in	2.000 in	6.750 in	0.045 ft³	0.550 lb
SA4120B-48B	FA,120V,AC/DC,Wire,Ion,48-Bulk	0 29054 41202 7	200 29054 41202 1	48	N/A	N/A	N/A	N/A	N/A
SA4121B-48B	FA,120V,AC/DC,Silnce,Ion,48-Bulk	0 29054 41210 2	400 29054 41210 0	48	N/A	N/A	N/A	N/A	N/A
SA500B	OneLink DC Smoke Alarm	0 29054 00204 4	600 29054 00204 6	12	5.130 in	2.380 in	5.130 in	0.036 ft³	0.660 lb
SA511B	OneLink DC Smoke Alarm with Voice	0 29054 00292 1	100 29054 00292 8	12	5.130 in	2.380 in	5.130 in	0.036 ft³	0.660 lb
SA520B	OneLink AC/DC Smoke Alarm	0 29054 00205 1	600 29054 00205 3	12	5.130 in	2.380 in	5.130 in	0.036 ft³	0.740 lb
SA710B	FA,9V,DC,Photo	0 29054 65660 5	100 29054 65660 2	12	5.125 in	2.380 in	5.125 in	0.036 ft³	0.531 lb
SA710AB	FA,9V Alkaline,DC,Photo	0 29054 00285 3	100 29054 00285 0	12	5.125 in	2.380 in	5.125 in	0.036 ft³	0.531 lb
SA720CN	FA,9V,DC,Batt,Photo,Escape,Flshlgt	0 29054 00026 2	300 29054 00026 3	3	8.560 in	7.000 in	2.580 in	0.089 ft³	0.750 lb
SA773CN	AC/DC Phot/Ion Combo	0 29054 12303 9	200 29054 12303 3	3	6.875 in	2.875 in	9.875 in	0.113 ft³	0.769 lb
SA88B	FA,9V,DC,Batt,Ion,Silnce,Flshlgt	0 29054 17400 0	100 29054 17400 7	6	5.688 in	1.938 in	5.688 in	0.036 ft³	0.545 lb
SC1000BN	BRK,9V,DC,Batt,Smoke/CO	0 29054 85614 2	100 29054 85614 9	3	8.500 in	2.125 in	7.250 in	0.076 ft³	1.089 lb
SC6120B	BRK,120V,AC/DC Smoke/CO	0 29054 85642 5	100 29054 85642 2	12	5.536 in	2.096 in	5.715 in	0.038 ft³	0.630 lb
SC7010B	BRK, 120V,AC/DC Smoke/CO Combo	0 29054 02280 6	100 29054 02280 3	12	5.130 in	2.380 in	5.130 in	0.036 ft³	0.740 lb
SC7010BV	BRK, 120V,AC/DC Smoke/CO Combo w/voice	0 29054 00229 7	100 29054 00229 4	12	5.130 in	2.380 in	5.130 in	0.036 ft³	0.740 lb
SC9120B	BRK,120V,AC/DC Smoke/CO	0 29054 51306 9	100 29054 51306 6	12	5.690 in	2.250 in	5.590 in	0.041 ft³	0.610 lb
SC9120B-GFD	BRK,120V,AC/DC Smoke/CO-Gravity Feed Display	0 29054 51306 9	200 29054 51306 3	18	5.690 in	2.250 in	5.590 in	0.041 ft³	0.650 lb
SCO1BN	FA,9V,DC,Batt,Smoke/CO	0 29054 15002 8	100 29054 15002 5	3	8.500 in	2.125 in	7.250 in	0.076 ft³	1.089 lb
SCO500B	OneLink DC Smoke/CO Combo Alarm	0 29054 00206 8	600 29054 00206 0	12	5.130 in	2.380 in	5.130 in	0.036 ft³	0.660 lb

BRK - Weights Measures

Sep 2009

					Individual Unit				
Part No.	Description	UPC	12 of 5	Case Pack	L	W	H	Cube	Weight
SCO5B	FA,9V, DC, Smoke/CO Combo, RV Approved	0 29054 00347 8	700 29054 00347 7	12	5.130 in	2.380 in	5.130 in	0.036 ft ³	0.660 lb
SCO5LB	FA,9V Lithium, DC, Smoke/CO Combo, RV Approved	0 29054 00304 1	100 29054 00304 8	12	5.130 in	2.380 in	5.130 in	0.036 ft ³	0.660 lb
SCO7B	FA,9V, DC, Smoke/CO Combo w Voice, RV Approved	0 29054 00047 7	100 29054 00047 4	12	5.130 in	2.380 in	5.130 in	0.036 ft ³	0.660 lb
SL177	Hearing Impaired Smart Strobe	0 29054 00270 9	100 29054 00270 6	12	5.625 in	3.625 in	6.000 in	0.071 ft ³	0.810 lb

BRK - Weights Measures

Part No.	Description	Master Carton				Pallet Info						
		L	W	H	Cube	Weight	Cases/ Layer	No. of Layers	Cases/ Pallet	Units/ Pallet	Cube	Weight
100S	BRK,120V,AC,Wire,Ion,177 Strobe	12.125 in	6.375 in	7.125 in	0.319 ft³	3.740 lb	21	6	126	378	46.994 ft³	536.240 lb
2002	BRK,9V,DC,Batt,Ion	17.000 in	12.250 in	6.313 in	0.761 ft³	8.826 lb	9	7	63	756	58.472 ft³	621.038 lb
2002RAC	BRK,120V,AC/DC,Wire,Phot	17.500 in	11.500 in	6.313 in	0.735 ft³	9.534 lb	9	7	63	756	54.152 ft³	665.642 lb
3001	BRK,9V,DC,Batt,Dual	17.000 in	12.250 in	6.313 in	0.761 ft³	8.826 lb	9	7	63	756	58.472 ft³	621.038 lb
3002	BRK,9V,DC,Batt,Dual w IR	17.688 in	6.250 in	12.250 in	0.784 ft³	8.550 lb	16	3	48	576	43.380 ft³	475.400 lb
4000LB	BRK,9V,DC,Batt,Ion,Lithium	12.375 in	6.125 in	12.250 in	0.537 ft³	6.420 lb	24	3	72	864	44.629 ft³	527.240 lb
4010YR	BRK,9V,DC,Ion,Lithium Power Cell	13.438 in	6.063 in	6.375 in	0.301 ft³	4.125 lb	21	7	147	882	51.160 ft³	671.375 lb
4120	BRK,120V,AC,Wire,Ion	13.125 in	5.813 in	12.125 in	0.535 ft³	8.520 lb	25	3	75	900	47.328 ft³	704.000 lb
4120AB	BRK,120V,AC/DC,Wire,Ion-Alkaline	13.125 in	5.813 in	12.125 in	0.535 ft³	8.520 lb	25	3	75	900	47.328 ft³	704.000 lb
4120B	BRK,120V,AC/DC,Wire,Ion	13.125 in	5.813 in	12.125 in	0.535 ft³	8.520 lb	25	3	75	900	47.328 ft³	704.000 lb
4120B-48B	BRK,120V,AC/DC,Wire,Ion,48-Bulk	21.625 in	10.625 in	11.375 in	1.512 ft³	24.747 lb	6	4	24	1,152	44.240 ft³	658.928 lb
4120B-48P	BRK,120V,AC/DC,Wire,Ion,48-Pack	22.500 in	12.938 in	12.063 in	2.032 ft³	27.398 lb	6	4	24	1,152	53.822 ft³	722.552 lb
4120B-GFD	BRK,120V,AC/DC,Wire,Ion Gravity Feed Display	12.500 in	7.000 in	23.500 in	1.190 ft³	12.760 lb	21	2	42	756	55.740 ft³	600.920 lb
4120LB	BRK,120V,AC/DC,Wire,Ion-Lithium	13.125 in	5.813 in	12.125 in	0.535 ft³	8.520 lb	25	3	75	900	47.328 ft³	704.000 lb
4120SAB	BRK,120V,AC/DC,Ion,Silence-Alkaline	13.125 in	5.813 in	12.125 in	0.535 ft³	8.520 lb	25	3	75	900	47.328 ft³	704.000 lb
4120SB	BRK,120V,AC/DC,Wire,Ion,Silence	13.125 in	5.813 in	12.125 in	0.535 ft³	8.520 lb	25	3	75	900	47.328 ft³	704.000 lb
4120SB-48B	BRK,120V,AC/DC,Wire,Ion,48-Bulk	21.625 in	10.625 in	11.375 in	1.512 ft³	24.747 lb	6	4	24	1,152	44.240 ft³	658.928 lb
4919	BRK,120V,AC,Wire,Ion	12.500 in	5.625 in	11.000 in	0.448 ft³	6.000 lb	26	4	104	1,248	53.577 ft³	689.000 lb
5919	BRK,120V,AC,Wire,Phot	17.500 in	11.500 in	6.313 in	0.735 ft³	9.534 lb	9	7	63	756	54.152 ft³	665.642 lb
5919TH	BRK,120V,AC,Wire,Photo/Heat	18.313 in	8.188 in	13.500 in	1.171 ft³	11.265 lb	12	3	36	432	48.835 ft³	470.540 lb
7010	BRK,120V,AC,Wire,Phot	10.750 in	7.880 in	11.060 in	0.542 ft³	5.875 lb	22	4	88	1,056	54.040 ft³	582.000 lb
7010B	BRK,120V,AC/DC,Wire,Phot	10.750 in	7.880 in	11.060 in	0.542 ft³	7.075 lb	22	4	88	1,056	54.040 ft³	687.600 lb
7010BSL	BRK,120V,AC/DC,Wire,Photo w 177 Strobe	12.625 in	5.813 in	5.938 in	0.252 ft³	2.963 lb	24	7	168	504	47.457 ft³	562.784 lb
7020B	BRK,120V,AC/DC,Wire,Phot w Escape Light	10.750 in	7.880 in	11.060 in	0.542 ft³	7.075 lb	22	4	88	1,056	54.040 ft³	687.600 lb
83RN	BRK,9V,DC,Batt,Ion	10.938 in	6.000 in	11.938 in	0.453 ft³	4.872 lb	28	3	84	1,008	46.979 ft³	474.248 lb
9120	BRK,120V,AC,Wire,Ion,Silence,Latch	14.430 in	6.190 in	12.630 in	0.653 ft³	7.000 lb	19	3	57	684	42.200 ft³	464.000 lb
91206CP	BRK,120V,AC,Wire,Ion, Bulk Contractor Pack	12.500 in	5.940 in	5.880 in	0.253 ft³	2.800 lb	24	8	192	1,152	58.680 ft³	602.600 lb
9120AB	BRK,120V,AC/DC,Wire,Ion-Alkaline,Silence,Latch	14.430 in	6.190 in	12.630 in	0.653 ft³	7.878 lb	19	3	57	684	42.200 ft³	514.046 lb
9120B	BRK,120V,AC/DC,Wire,Ion,Silence,Latch	14.430 in	6.190 in	12.630 in	0.653 ft³	7.878 lb	19	3	57	684	42.200 ft³	514.046 lb
9120B-48B	BRK,120V,AC/DC,Wire,Ion,Silence,Latch-48 Bulk	25.440 in	11.630 in	13.750 in	2.354 ft³	27.000 lb	6	3	18	864	52.340 ft³	551.000 lb
9120B-48P	BRK,120V,AC/DC,Wire,Ion,Silence,Latch-48 Pack	28.370 in	11.870 in	12.150 in	2.368 ft³	32.000 lb	4	4	16	768	59.710 ft³	577.000 lb
9120B6CP	BRK,120V,AC/DC,Wire,Ion, Bulk Contractor Pack	12.500 in	5.940 in	5.880 in	0.253 ft³	3.400 lb	24	8	192	1,152	58.680 ft³	717.800 lb
9120B-GFD	BRK,120V,AC/DC,Wire,Ion Gravity Feed Display	12.500 in	7.000 in	23.500 in	1.190 ft³	12.689 lb	21	2	42	756	55.740 ft³	597.938 lb
9120LB	BRK,120V,AC/DC,Wire,Ion-Lithium,Silence,Latch	14.430 in	6.190 in	12.630 in	0.653 ft³	7.900 lb	19	3	57	684	42.200 ft³	515.300 lb
ADF-12	Adapter Plug - Firex	7.000 in	6.500 in	10.500 in	0.276 ft³	1.880 lb	42	4	168	1,008	53.310 ft³	380.840 lb
ADK-12	Adapter Plug - Kidde	7.000 in	6.500 in	10.500 in	0.276 ft³	1.900 lb	42	4	168	1,008	53.310 ft³	384.200 lb
AF400	Tundra Fire Extinguishing Spray Can	10.500 in	5.650 in	5.650 in	0.194 ft³	6.000 lb	42	4	168	672	42.550 ft³	1073.000 lb
AF400-12SD	Tundra Fire Extinguishing Spray Shelf Display	14.250 in	12.625 in	11.250 in	1.171 ft³	19.000 lb	9	4	36	432	46.851 ft³	749.000 lb
AF400-18WP	Tundra Fire Extinguishing Spray Gravity Feed Display	25.000 in	6.625 in	11.625 in	1.114 ft³	25.000 lb	10	4	40	720	57.670 ft³	1065.000 lb
AF400-18FD	Tundra Fire Extinguishing Spray Floor Display	44.000 in	14.000 in	11.625 in	4.144 ft³	27.000 lb	10	4	40	720	57.670 ft³	1145.000 lb
BF5-B	BRK,Fire Ext,5BC,Genrl,Bulk,Brkt	10.188 in	8.313 in	14.125 in	0.692 ft³	18.841 lb	19	3	57	342	44.765 ft³	1138.937 lb
BF5-M	BRK,Fire Ext,5BC,Genrl,Bulk	12.125 in	7.375 in	7.375 in	0.382 ft³	18.841 lb	20	6	120	720	52.071 ft³	2325.920 lb
CO1000R	BRK, CO SensorPack Module	6.313 in	4.375 in	6.250 in	0.100 ft³	1.270 lb	69	7	483	2,898	55.621 ft³	678.410 lb
CO2120PDN	BRK,120V,AC,Plug,CO,Digital Disp	15.625 in	9.000 in	6.313 in	0.514 ft³	3.411 lb	13	7	91	546	54.251 ft³	375.401 lb
CO2120PN	BRK,120V,AC,Plug,CO,Silence	15.625 in	9.000 in	6.313 in	0.514 ft³	3.411 lb	13	7	91	546	54.251 ft³	375.401 lb
CO250B	BRK, DC CO Alarm, Silence	9.200 in	5.500 in	5.100 in	0.149 ft³	3.200 lb	36	9	324	1,944	55.000 ft³	1101.800 lb
CO3000BN	BRK,120V,DC,Batt,CO, Silence	13.688 in	9.000 in	6.313 in	0.450 ft³	6.370 lb	14	7	98	588	52.647 ft³	689.260 lb
CO400B	FA, 2AA Battery CO Alarm	7.400 in	5.400 in	6.100 in	0.141 ft³	2.920 lb	45	6	270	1,620	49.640 ft³	853.400 lb

BRK - Weights Measures

Part No.	Description	Master Carton				Pallet Info						
		L	W	H	Cube	Weight	Cases/ Layer	No. of Layers	Cases/ Pallet	Units/ Pallet	Cube	Weight
CO410B	FA, 2AA Battery CO Alarm with Digital Display	7.400 in	5.400 in	6.100 in	0.141 ft³	3.210 lb	45	6	270	1,620	49.640 ft³	931.700 lb
CO500B	OneLink DC CO Alarm	10.750 in	7.880 in	11.060 in	0.542 ft³	8.400 lb	22	4	88	1,056	54.000 ft³	804.200 lb
CO511B	OneLink DC CO Alarm w Voice	10.750 in	7.880 in	11.060 in	0.542 ft³	8.400 lb	22	4	88	1,056	54.000 ft³	804.200 lb
CO5120BN	BRK, 120V,AC/DC,Wire,CO,Silence	13.125 in	5.813 in	12.125 in	0.535 ft³	8.520 lb	25	3	75	900	47.328 ft³	704.000 lb
CO5120PDBN	BRK, 120V,AC/DC CO,Digital Display	13.125 in	5.813 in	12.125 in	0.535 ft³	8.520 lb	25	3	75	900	47.328 ft³	704.000 lb
CO600B	FA, AC Plugin CO	6.100 in	7.400 in	7.400 in	0.193 ft³	2.330 lb	30	6	180	1,080	34.800 ft³	484.400 lb
CO604B	BRK, AC/DC Plugin CO	7.688 in	7.313 in	7.375 in	0.240 ft³	3.800 lb	30	6	180	1,080	49.298 ft³	749.000 lb
CO605B	FA, AC/DC Plugin CO	9.125 in	7.125 in	6.313 in	0.238 ft³	3.677 lb	27	7	189	1,134	51.985 ft³	759.953 lb
CO6120PBD	BRK, 120V,AC,Plug,CO,Digital, IR	15.625 in	9.000 in	6.313 in	0.514 ft³	3.411 lb	13	7	91	546	54.251 ft³	375.401 lb
CO614B	BRK, 120V,AC/DC,Plugin,CO,Digital	7.688 in	7.313 in	7.375 in	0.240 ft³	4.000 lb	30	6	180	1,080	49.298 ft³	785.000 lb
CO615B	FA, AC/DC Plugin CO with Digital Display	9.125 in	7.125 in	6.313 in	0.238 ft³	3.899 lb	27	7	189	1,134	51.985 ft³	801.911 lb
EL52-2	Escape Ladder-2 Story	13.130 in	13.500 in	9.500 in	0.974 ft³	26.500 lb	15	4	60	120		1655.000 lb
EL53W-2	Escape Ladder-3 Story, wide sill hooks	13.130 in	13.500 in	17.500 in	1.795 ft³	44.000 lb	15	2	30	60		1385.000 lb
FCD2BN	FA, 120V,AC,Plug,CO,Silence	15.625 in	9.000 in	6.313 in	0.514 ft³	3.411 lb	13	7	91	546	54.251 ft³	375.401 lb
FCD2BTBN	FA, 120V,AC,Plug,CO,Silence, Battery	15.625 in	9.000 in	6.313 in	0.514 ft³	3.901 lb	13	7	91	546	54.251 ft³	419.991 lb
FCD2DDBN	FA, 120V,AC,Plug,CO,Digital Disp	15.625 in	9.000 in	6.313 in	0.514 ft³	3.411 lb	13	7	91	546	54.251 ft³	375.401 lb
FCD3BN	FA, 120V,DC,Batt,CO, Silence	13.688 in	9.000 in	6.313 in	0.450 ft³	6.370 lb	14	7	98	588	52.647 ft³	689.260 lb
FCD4CN-3	FA, 120V,AC,Plug,CO,Digital, IR	7.130 in	5.250 in	10.880 in	0.236 ft³	2.220 lb	13	7	91	273	55.550 ft³	267.020 lb
FE10GO	FA,Fire Ext,10BC,Garge,Brckt	12.250 in	8.870 in	15.250 in	0.959 ft³	33.400 lb	17	3	51	306	57.144 ft³	1768.400 lb
GARAGE10	FA,Fire Ext,10BC,Garge,Brckt	8.938 in	8.438 in	15.625 in	0.682 ft³	20.700 lb	20	3	60	240	45.277 ft³	1307.000 lb
FE10GO-MN	FA,Fire Ext,10BC,Marin,Brckt,White	12.250 in	8.870 in	15.250 in	0.959 ft³	33.400 lb	17	3	51	306	57.144 ft³	1768.400 lb
AUTOMAR10	FA,Fire Ext,10BC,Marin,Brckt,White	8.938 in	8.438 in	15.625 in	0.682 ft³	20.700 lb	20	3	60	240	45.277 ft³	1307.000 lb
FE10GOT	FA,Fire Ext,10BC,Truck,Brckt	12.250 in	8.870 in	15.250 in	0.959 ft³	33.400 lb	17	3	51	306	57.144 ft³	1768.400 lb
FE1A10G	FA,Fire Ext,1A10BC,Multi,Gge,Bkt-non rechargeable	7.750 in	10.375 in	16.375 in	0.762 ft³	28.000 lb	22	3	66	396		1913.000 lb
PRO2-5NR (Ansul)	FA,Fire Ext,1A10BC,Multi,Gge,Bkt-non rechargeable	13.313 in	8.438 in	15.625 in	1.016 ft³	32.725 lb	15	3	45	270	50.580 ft³	1537.625 lb
PRO2-5NR (WY)	FA,Fire Ext,1A10BC,Multi,Gge,Bkt-non rechargeable	13.313 in	8.438 in	15.625 in	1.016 ft³	33.640 lb	15	3	45	270	50.580 ft³	1578.800 lb
FE1A10GO	FA,Fire Ext,1A10BC,Multi,Gge,Bkt	12.250 in	8.870 in	15.250 in	0.959 ft³	32.800 lb	17	3	51	306	57.144 ft³	1737.800 lb
PRO2-5 (ansul)	FA,Fire Ext,1A10BC,Multi,Gge,Bkt	13.313 in	8.438 in	15.625 in	1.016 ft³	32.725 lb	15	3	45	270	50.580 ft³	1537.625 lb
PRO2-5 (WY)	FA,Fire Ext,1A10BC,Multi,Gge,Bkt	13.313 in	8.438 in	15.625 in	1.016 ft³	33.640 lb	15	3	45	270	50.580 ft³	1578.800 lb
HOME1 (Ansul)	FA,Fire Ext,1A10BC,Gge,Bkt,White	8.938 in	8.438 in	15.625 in	0.682 ft³	21.900 lb	20	3	60	240	45.277 ft³	1379.000 lb
HOME1 (WY)	FA,Fire Ext,1A10BC,Gge,Bkt,White	8.938 in	8.438 in	15.625 in	0.682 ft³	22.560 lb	20	3	60	240	45.277 ft³	1418.600 lb
FE1A10GOW	FA,Fire Ext,1A10BC,Gge,Bkt,White	12.250 in	8.870 in	15.250 in	0.959 ft³	32.800 lb	17	3	51	306	57.144 ft³	1737.800 lb
MARINE1 (Ansul)	FA,Fire Ext,1A10BC,Gge,Bkt,White	8.938 in	8.438 in	15.625 in	0.682 ft³	21.900 lb	20	3	60	240	45.277 ft³	1379.000 lb
MARINE1 (WY)	FA,Fire Ext,1A10BC,Gge,Bkt,White	8.938 in	8.438 in	15.625 in	0.682 ft³	22.560 lb	20	3	60	240	45.277 ft³	1418.600 lb
FE2A10GR	FA,Fire Ext,2A10BC,HD,Rechrg	12.438 in	6.375 in	17.438 in	0.800 ft³	20.400 lb	21	2	42	84	44.310 ft³	921.800 lb
HOME2	FA,Fire Ext,2A10BC,HD,Rechrg	12.438 in	6.375 in	17.438 in	0.800 ft³	20.400 lb	21	2	42	84	44.310 ft³	921.800 lb
PRO52A10	FA,Fire Ext,2A10BC,HD,Rechrg-Pro Graphics	12.438 in	6.375 in	17.438 in	0.800 ft³	20.400 lb	21	2	42	84	44.310 ft³	921.800 lb
FE3A10GR-2	FA,Fire Ext,3A10BC,HD,Rechrg	12.300 in	6.400 in	17.630 in	0.803 ft³	21.800 lb	21	2	42	84	44.811 ft³	980.600 lb
PRO5	FA,Fire Ext,3A10BC,HD,Rechrg	12.438 in	6.375 in	17.438 in	0.800 ft³	21.288 lb	21	2	42	84	44.310 ft³	959.096 lb
FE3A40GR-6	FA,Fire Ext,3A40BC,HD,Rechrg	18.630 in	13.200 in	17.620 in	2.508 ft³	64.000 lb	7	2	14	84	44.440 ft³	961.000 lb
FE4A60B	FA,Fire Ext,4A60BC,HD,Rechrg	13.625 in	6.875 in	17.750 in	0.962 ft³	36.500 lb	15	2	30	60	54.153 ft³	1160.000 lb
FE20A120B	FA,Fire Ext,20A120BC,HD,Rechrg					33.560 lb						65.000 lb
PRO10	FA,Fire Ext,4A60BC,HD,Rechrg	13.625 in	6.875 in	17.750 in	0.962 ft³	36.500 lb	15	2	30	60	54.153 ft³	1160.000 lb
FE5GO	FA,Fire Ext,5BC,Recr,Gauge,Brckt	12.250 in	8.870 in	13.000 in	0.817 ft³	31.600 lb	17	3	51	306	51.064 ft³	1676.600 lb
REC5	FA,Fire Ext,5BC,Recr,Gauge,Brckt	9.000 in	8.500 in	13.375 in	0.592 ft³	17.960 lb	20	3	60	240	39.950 ft³	1142.600 lb
FE5GO-MN	FA,Fire Ext,5BC,Marin,Gauge,Brckt	12.250 in	8.870 in	13.000 in	0.817 ft³	31.600 lb	17	3	51	306	51.064 ft³	1676.600 lb
FE5R-PWC	FA,Fire Ext,5BC,Marin,PWC,Brkt	6.625 in	13.250 in	12.375 in	0.629 ft³	16.000 lb	22	3	66	396	52.064 ft³	1121.000 lb
FEBRA2-6	FA,Fire Ext,HD Bracket for 2.5 lb Extinguishers	12.500 in	7.500 in	7.000 in	0.380 ft³	4.000 lb	30	3	90	540	47.220 ft³	425.000 lb

BRK - Weights Measures

Part No.	Description	Master Carton				Pallet Info						
		L	W	H	Cube	Weight	Cases/ Layer	No. of Layers	Cases/ Pallet	Units/ Pallet	Cube	Weight
BRACKET2	FA,Fire Ext,HD Bracket for 2.5 lb Extinguishers	12.500 in	7.500 in	7.000 in	0.380 ft³	4.000 lb	30	3	90	540	47.220 ft³	425.000 lb
FEBRA5-6	FA,Fire Ext,HD Bracket for 5 lb Extinguishers	14.880 in	8.940 in	7.630 in	0.587 ft³	8.100 lb	27	3	81	486	55.560 ft³	721.100 lb
BRACKET5	FA,Fire Ext,HD Bracket for 5 lb Extinguishers	14.880 in	8.940 in	7.630 in	0.587 ft³	8.100 lb	27	3	81	486	55.560 ft³	721.100 lb
FESA5	FA,Fire Ext,5BC,Auto,Brckt	10.900 in	8.313 in	11.000 in	0.577 ft³	19.000 lb	23	4	92	552	46.284 ft³	1813.000 lb
AUTO5	FA,Fire Ext,5BC,Auto,Brckt	8.313 in	6.813 in	11.000 in	0.361 ft³	11.725 lb	28	4	112	448	44.960 ft³	1378.200 lb
FG888D	BRK, DC Smoke Alarm-Basic	10.875 in	6.063 in	6.250 in	0.238 ft³	3.200 lb	28	7	196	1,176	55.470 ft³	692.200 lb
FG225B	BRK, DC Smoke Alarm	9.200 in	5.500 in	5.100 in	0.149 ft³	3.200 lb	36	9	324	1,944	55.000 ft³	1101.800 lb
FG250B	BRK, DC Smoke Alarm-Silence	9.200 in	5.500 in	5.100 in	0.149 ft³	3.200 lb	36	9	324	1,944	55.000 ft³	1101.800 lb
FG250AB	BRK, DC Smoke Alarm-Silence,Alkaline	9.200 in	5.500 in	5.100 in	0.149 ft³	3.200 lb	36	9	324	1,944	55.000 ft³	1101.800 lb
FG250LB	Family Gard, DC Smoke Alarm-Silence,Lithium	9.200 in	5.500 in	5.100 in	0.149 ft³	3.200 lb	36	9	324	1,944	55.000 ft³	1101.800 lb
GCO1B-smaller carton	FA, Plug-in Gas/CO Alarm	9.125 in	7.125 in	6.313 in	0.238 ft³	4.350 lb	27	7	189	1,134	51.985 ft³	887.150 lb
HD6135F	BRK,120V,AC,Wire, Heat,135°Fixed	12.625 in	11.438 in	12.063 in	1.008 ft³	11.164 lb	12	3	36	432	42.888 ft³	466.904 lb
HD6135FB	BRK,120V,AC/DC Heat,135°Fixed	16.813 in	9.313 in	6.250 in	0.566 ft³	7.600 lb	10	7	70	840	47.510 ft³	597.000 lb
KFE2S5	FA,Fire Ext,5BC,Kitch,Brckt	9.938 in	6.750 in	11.000 in	0.427 ft³	14.148 lb	28	3	84	504	42.297 ft³	1253.432 lb
KITCHEN5		6.690 in	6.590 in	11.160 in	0.285 ft³	11.610 lb	42	3	126	504	41.338 ft³	1527.860 lb
MPG120	BRK,120V,AC,Wire,Gas Alarm	5.750 in	4.813 in	5.625 in	0.090 ft³	1.621 lb	68	7	476	1,428	49.160 ft³	836.596 lb
PIR720R	FA, Motion Sensing Socket	9.563 in	5.313 in	5.625 in	0.165 ft³	1.749 lb	39	5	195	585	55.751 ft³	406.055 lb
RD1	FA, Radon Kit	10.400 in	7.200 in	10.200 in	0.442 ft³	2.350 lb	22	4	88	528	48.928 ft³	271.800 lb
MT1	FA, Mold Kit	9.750 in	6.880 in	2.250 in	0.087 ft³	1.500 lb	25	15	375	2,250	51.440 ft³	627.500 lb
WT1	FA, Water Test Kit	9.200 in	5.900 in	9.200 in	0.289 ft³	1.250 lb	32	5	160	960	43.060 ft³	265.000 lb
LT1	FA, Lead Test Kit	8.700 in	5.200 in	4.100 in	0.107 ft³	0.800 lb	44	11	484	2,904	57.220 ft³	452.200 lb
RM3	BRK,120V,AC,Wire,Relay	10.438 in	4.938 in	6.688 in	0.199 ft³	3.000 lb	35	6	210	2,520	59.320 ft³	695.000 lb
RM4	BRK,120V,AC,Wire,Smart Relay	10.438 in	4.938 in	6.690 in	0.200 ft³	3.000 lb	35	6	210	2,520	48.692 ft³	695.000 lb
SA150B	FA,9V,DC,Batt,Ion,Escape,Flshlgt	12.375 in	6.125 in	6.438 in	0.282 ft³	3.271 lb	21	7	147	882	46.711 ft³	545.837 lb
SA302B	FA,9V DC, Photo & Ion Smoke Alarm	12.063 in	9.125 in	6.563 in	0.418 ft³	4.780 lb	15	7	105	630	56.600 ft³	566.900 lb
SA302CN		9.060 in	7.250 in	9.760 in	0.270 ft³	3.000 lb	26	5	130	390	52.550 ft³	455.000 lb
SA302LCN		9.060 in	7.250 in	9.760 in	0.400 ft³	3.000 lb	26	5	130	390	52.550 ft³	455.000 lb
SA303B	FA,9V,DC,Carbon Zinc Batt,Ion	13.125 in	5.810 in	12.130 in	0.535 ft³	7.000 lb	25	3	75	900	47.330 ft³	590.000 lb
SA305B	FA,9V,DC,Lithium Batt,Ion	13.125 in	5.810 in	12.130 in	0.535 ft³	7.000 lb	25	3	75	900	47.330 ft³	590.000 lb
SA340B	FA, 10-Year Lithium Power Cell Smoke Alarm	12.750 in	6.000 in	7.250 in	0.321 ft³	3.630 lb	24	6	144	864	46.800 ft³	587.720 lb
SA4120B-48B	FA,120V,AC/DC,Wire,Ion,48-Bulk	21.625 in	10.625 in	11.375 in	1.512 ft³	24.747 lb	6	4	24	1,152	45.240 ft³	658.928 lb
SA4121B-48B	FA,120V,AC/DC,Silnce,Ion,48-Bulk	21.625 in	10.625 in	11.375 in	1.512 ft³	24.747 lb	6	4	24	1,152	44.240 ft³	658.928 lb
SA500B	OneLink DC Smoke Alarm	10.750 in	7.880 in	11.060 in	0.542 ft³	8.400 lb	22	4	88	1,056	54.000 ft³	804.200 lb
SA511B	OneLink DC Smoke Alarm with Voice	10.750 in	7.880 in	11.060 in	0.542 ft³	8.400 lb	22	4	88	1,056	54.000 ft³	804.200 lb
SA520B	OneLink AC/DC Smoke Alarm	10.750 in	7.880 in	11.060 in	0.542 ft³	9.400 lb	22	4	88	1,056	54.000 ft³	892.200 lb
SA710B	FA,9V,DC,Photo	10.630 in	7.880 in	10.880 in	0.527 ft³	7.300 lb	22	4	88	1,056	53.890 ft³	707.400 lb
SA710AB	FA,9V Alkaline,DC,Photo	10.630 in	7.880 in	10.880 in	0.527 ft³	7.300 lb	22	4	88	1,056	53.890 ft³	707.400 lb
SA720CN	FA,9V,DC,Batt,Photo,Escape,Flshlgt	9.060 in	7.250 in	7.150 in	0.272 ft³	2.350 lb	30	5	150	450	55.900 ft³	417.500 lb
SA773CN	AC/DC Phot/Ion Combo	7.313 in	5.875 in	11.438 in	0.284 ft³	2.680 lb	42	4	168	504	54.610 ft³	515.240 lb
SA88B	FA,9V,DC,Batt,Ion,Silnce,Flshlgt	12.375 in	6.125 in	6.438 in	0.282 ft³	3.271 lb	21	7	147	882	46.711 ft³	545.837 lb
SC1000BN	BRK,9V,DC,Batt,Smoke/CO	8.938 in	7.188 in	7.938 in	0.295 ft³	3.267 lb	29	5	145	435	52.103 ft³	538.715 lb
SC6120B	BRK,120V,AC/DC Smoke/CO	13.125 in	5.813 in	12.125 in	0.535 ft³	9.480 lb	25	3	75	900	47.328 ft³	776.000 lb
SC7010B	BRK, 120V,AC/DC Smoke/CO Combo	10.750 in	7.880 in	11.060 in	0.542 ft³	9.400 lb	22	4	88	1,056	54.000 ft³	892.200 lb
SC7010BV	BRK, 120V,AC/DC Smoke/CO Combo w/voice	10.750 in	7.880 in	11.060 in	0.542 ft³	9.400 lb	22	4	88	1,056	54.000 ft³	892.200 lb
SC9120B	BRK,120V,AC/DC Smoke/CO	14.430 in	6.190 in	12.630 in	0.653 ft³	9.480 lb	19	3	57	684	42.200 ft³	605.360 lb
SC9120B-GFD	BRK,120V,AC/DC Smoke/CO-Gravity Feed Display	12.500 in	7.000 in	23.500 in	1.190 ft³	14.370 lb	21	2	42	756	55.740 ft³	668.540 lb
SCO1BN	FA,9V,DC,Batt,Smoke/CO	8.938 in	7.188 in	7.938 in	0.295 ft³	3.267 lb	29	5	145	435	52.103 ft³	538.715 lb
SCO500B	OneLink DC Smoke/CO Combo Alarm	10.750 in	7.880 in	11.060 in	0.542 ft³	8.400 lb	22	4	88	1,056	54.000 ft³	804.200 lb

BRK - Weights Measures

		Master Carton					Pallet Info					
Part No.	Description	L	W	H	Cube	Weight	Cases/ Layer	No. of Layers	Cases/ Pallet	Units/ Pallet	Cube	Weight
SCO5B	FA,9V, DC, Smoke/CO Combo, RV Approved	10.750 in	7.880 in	11.060 in	0.542 ft ³	8.400 lb	22	4	88	1,056	54.000 ft ³	804.200 lb
SCO5LB	FA,9V Lithium, DC, Smoke/CO Combo, RV Approved	10.750 in	7.880 in	11.060 in	0.542 ft ³	8.400 lb	22	4	88	1,056	54.000 ft ³	804.200 lb
SCO7B	FA,9V, DC, Smoke/CO Combo w Voice, RV Approved	10.750 in	7.880 in	11.060 in	0.542 ft ³	8.400 lb	22	4	88	1,056	54.000 ft ³	804.200 lb
SL177	Hearing Impaired Smart Strobe	17.375 in	7.625 in	12.125 in	0.930 ft ³	12.000 lb	12	3	36	432	42.200 ft ³	497.000 lb