




AUTHORIZATION TO MARK

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	BRK Brands, Inc.	Manufacturer:	Electronica BRK De Mexico SA de C V
Address:	3901 West Liberty Street Aurora, IL 60504	Address:	Av. Fernando Borreguero Y Lopez Mateos Parque Industrial Juarez Cd. Juarez, Chihuahua CP-32630
Country:	USA	Country:	Mexico
Contact:	Mr. Mark Dippner	Contact:	Delores Pita
Phone:	(630) 851-7330 x1422	Phone:	(915) 779-7800
FAX:	(630) 851-9309	FAX:	(915) 774-7804
Email:	mdippner@jardensafety.com	Email:	dpita@jardensafety.com
Party Authorized To Apply Mark:	Same as Manufacturer		
Report Issuing Office:	Chicago		
Control Number:	<u>3055574</u>	Authorized by:	 for William T. Starr, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
165 Main Street, Cortland, NY 13045
Telephone 800-345-3851 or 607-753-6711 Fax 607-756-6699

Standard(s):	UL Standard for Safety for Single and Multiple Station Carbon Monoxide Alarms—Third Edition Dated 02/28/2008; Reprint with Revisions through and Including 02/20/2009 (ANSI/UL 2034). Includes Effective Date of 08/01/2009.
Product:	Single and/or Multiple Station Carbon Monoxide Alarms
Brand Name:	First Alert and/or BRK Brands Inc.
Models:	CO511



AUTHORIZATION TO MARK

This document does not imply product certification nor authorization to apply the ETL-Listed Mark and should be submitted along with a valid Authorization to Mark from Intertek.

Intertek Report Number:	3111868CHI-001
Intertek Issuing Office:	Chicago
CSFM BML Category:	5276 - Single/Multi Carbon Monoxide Detectors
Applicant/Listee:	BRK Brands, Inc.
Standards Used:	UL Standard for Safety for Single and Multiple Station Carbon Monoxide Alarms—Third Edition Dated 02/28/2008; Reprint with Revisions through and Including 02/20/2009 (ANSI/UL 2034). Includes Effective Date of 08/01/2009.
Product Covered:	CO511
Design	<p>The product is a battery operated (2x AA type batteries) Single and/or Multiple-Station Carbon Monoxide Alarm with remote RF interconnect, latching alarm, low battery indicator and seven year end of life timer. It has additional voice feature. It is intended to be wall or ceiling mounted.</p> <p>The product is intended to detect an abnormal amount of carbon monoxide (CO) in the area in which they are installed, and actuate a condition specific audible alarm signal. The product has an alarm silence feature for temporary unwanted CO conditions. The unit is comprised of jumpers, capacitors, transistors, resistors, integrated circuits, a voltage regulator, a crystal resonator, a speaker, an electrochemical CO sensor, and general visual signaling LEDs. All components with the exception of the battery are mounted on a printed wiring board (PWB), and the assembly is then housed inside an enclosure having openings to the surrounding air.</p> <p>The alarm is intended to be installed in accordance with the User's manual, instruction sheets, and Installation of Household Carbon Monoxide (CO) Warning Equipment (NFPA720).</p>



AUTHORIZATION TO MARK

Engineer

Vishrut Shah
Project Engineer, Chicago
April 29, 2011

Reviewer

Vincent B. Mori
Staff Engineer
May 11, 2011

Product inquiries should be made to Larry Todd, Intertek Chief Electrical Engineer at (503) 626-6694.

This Verification is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results in referenced from this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.